

# PUSH-ON C153 CEMENT LINED

## LP-5091

## Tyler Union C153 Union-Tite Ductile Iron Fittings

Size	UPCode 670610 Domestic	Ship Code	UPCode 670610 Non-Domestic	Ship Code	Less Accessories	Domestic Weight	Non-Domestic Weight
<b>UT 90° (1/4) BENDS</b>							
4	333654	S	139478	S	135.00	32	30
6	<b>299813</b>	<b>S</b>	<b>139539</b>	<b>S</b>	<b>225.00</b>	<b>51</b>	<b>53</b>
8	332879	S	139591	S	353.00	80	83
10	<b>333685</b>	<b>S</b>	<b>139379</b>	<b>S</b>	<b>527.00</b>	<b>121</b>	<b>124</b>
12	333555	S	139416	S	774.00	151	182
14	<b>350767</b>	<b>S</b>	<b>247586</b>	<b>S</b>	<b>1035.00</b>	<b>254</b>	<b>230</b>
16	350774	S	247623	S	1391.00	328	309
18	<b>363385</b>	<b>S</b>			<b>2410.00</b>	<b>482</b>	
20	363392	N			2700.00	540	
24	<b>363408</b>	<b>N</b>			<b>3539.00</b>	<b>674</b>	
<b>UT 45° (1/8) BENDS</b>							
4	333647	S	139454	S	126.00	29	28
6	<b>332862</b>	<b>S</b>	<b>139515</b>	<b>S</b>	<b>187.00</b>	<b>42</b>	<b>44</b>
8	286707	S	139577	S	302.00	66	71
10	<b>333678</b>	<b>S</b>	<b>139362</b>	<b>S</b>	<b>429.00</b>	<b>101</b>	<b>101</b>
12	286714	S	139409	S	582.00	128	137
14	<b>350781</b>	<b>S</b>	<b>247579</b>	<b>S</b>	<b>810.00</b>	<b>143</b>	<b>180</b>
16	350798	S	247616	S	1251.00	225	278
18	<b>363415</b>	<b>S</b>			<b>1045.00</b>	<b>209</b>	
20	363422	S			1985.00	397	
24	<b>363439</b>	<b>S</b>			<b>2583.00</b>	<b>492</b>	
<b>UT 22½° (1/16) BENDS</b>							
4	350804	S	139430	S	117.00	18	26
6	<b>286998</b>	<b>S</b>	<b>139492</b>	<b>S</b>	<b>166.00</b>	<b>39</b>	<b>39</b>
8	286660	S	139553	S	234.00	64	55
10	<b>333661</b>	<b>S</b>	<b>139355</b>	<b>S</b>	<b>353.00</b>	<b>67</b>	<b>83</b>
12	299776	S	139393	S	565.00	111	133
14	<b>350811</b>	<b>S</b>	<b>247562</b>	<b>S</b>	<b>810.00</b>	<b>162</b>	<b>180</b>
16	333562	S	247609	S	1224.00	195	272
18	<b>363446</b>	<b>S</b>			<b>1045.00</b>	<b>209</b>	
20	363453	S			2070.00	414	
24	<b>363460</b>	<b>S</b>			<b>3129.00</b>	<b>596</b>	
<b>UT 11¼° (1/32) BENDS</b>							
4	350828	S	139423		117.00	18	26
6	<b>299790</b>	<b>S</b>	<b>139485</b>	<b>S</b>	<b>155.00</b>	<b>40</b>	<b>37</b>
8	286721	S	139546	S	230.00	60	54
10	<b>350835</b>	<b>S</b>	<b>139348</b>	<b>S</b>	<b>336.00</b>	<b>77</b>	<b>79</b>
12	299783	S	139386	S	429.00	92	101
14	<b>350842</b>	<b>N</b>	<b>282068</b>		<b>810.00</b>	<b>113</b>	<b>180</b>
16	351610	S	247593		1301.00	172	289
18	<b>363477</b>	<b>S</b>			<b>1045.00</b>	<b>209</b>	
20	363484	N			1325.00	265	

S = From Stock to 2 weeks

N = Non-Stock; Check for availability. All weights exclude accessories

NOTE: All fittings furnished with Tyton® gaskets.

®Registered Trademark of U.S. Pipe & Foundry

Restraining lugs are provided only on sizes 12" and smaller.

# PUSH-ON C153 CEMENT LINED

## Tyler Union C153 Union-Tite Ductile Iron Fittings

**LP-5091**

Size	UPCode 670610 Domestic	Ship Code	UPCode 670610 Non-Domestic	Ship Code	Less Accessories	Domestic Weight	Non-Domestic Weight
<b>UT x FLG 90° (1/4) BENDS ♦</b>							
4	363491	S			140.00	31	
<b>6</b>	<b>363507</b>	<b>S</b>	<b>034032</b>	<b>S</b>	<b>242.00</b>	<b>49</b>	<b>57</b>
8	363514	S	034094	S	383.00	74	90
<b>10</b>	<b>363521</b>	<b>S</b>	<b>033950</b>	<b>S</b>	<b>570.00</b>	<b>130</b>	<b>134</b>
12	363538	S	033998	S	854.00	158	201
<b>14</b>	<b>363545</b>	<b>N</b>			<b>716.00</b>	<b>159</b>	
16	363552	N			1049.00	233	

<b>UT x FLG 45° (1/8) BENDS ♦</b>							
4	363569	S			95.00	21	
<b>6</b>	<b>363576</b>	<b>S</b>	<b>034018</b>	<b>S</b>	<b>204.00</b>	<b>42</b>	<b>48</b>
8	363583	S	034070	S	306.00	60	72
<b>10</b>	<b>363590</b>	<b>S</b>			<b>395.00</b>	<b>93</b>	
12	363606	S	094012	S	659.00	122	155
<b>14</b>	<b>363613</b>	<b>N</b>			<b>729.00</b>	<b>162</b>	
16	363620	N			1238.00	275	

<b>UT x FLG 22½° (1/16) BENDS ♦</b>							
4	363637	S	094029	S	140.00	25	31
<b>6</b>	<b>363644</b>	<b>S</b>	<b>094043</b>	<b>S</b>	<b>174.00</b>	<b>44</b>	<b>41</b>
8	363651	S	094050	S	247.00	64	58
<b>10</b>	<b>363668</b>	<b>S</b>	<b>033936</b>	<b>S</b>	<b>387.00</b>	<b>90</b>	<b>91</b>
12	363675	S	094005	S	655.00	112	154
<b>14</b>	<b>363682</b>	<b>N</b>			<b>783.00</b>	<b>174</b>	
16	363699	N			1026.00	228	

<b>UT x FLG 11¼° (1/32) BENDS ♦</b>							
4	363705	N			102.00	24	
<b>6</b>	<b>363712</b>	<b>S</b>	<b>094036</b>	<b>S</b>	<b>174.00</b>	<b>30</b>	<b>41</b>
8	363729	S	034056	S	293.00	61	69
<b>10</b>	<b>363736</b>	<b>S</b>	<b>033912</b>	<b>S</b>	<b>378.00</b>	<b>80</b>	<b>89</b>
12	363743	S	033974	S	561.00	94	132
<b>14</b>	<b>363750</b>	<b>N</b>			<b>765.00</b>	<b>170</b>	
16	363767	N			1026.00	228	

<b>UT x PE 90° (1/4) BENDS</b>							
4	363774	N			225.00	50	
<b>6</b>	<b>363781</b>	<b>N</b>			<b>230.00</b>	<b>47</b>	

<b>UT x PE 45° (1/8) BENDS</b>							
4	363798	N			99.00	22	
<b>6</b>	<b>363804</b>	<b>N</b>			<b>162.00</b>	<b>38</b>	
8	363811	N			255.00	60	

♦ Flanges may be thinner than thicknesses in AWWA C110 and require shorter bolts or use of washers.

S = From Stock to 2 weeks

N = Non-Stock; Check for availability. All weights exclude accessories

NOTE: All fittings furnished with Tyton® gaskets.

®Registered Trademark of U.S. Pipe & Foundry

Restraining lugs are provided only on sizes 12" and smaller.

# PUSH-ON C153 CEMENT LINED

**LP-5091**

**Tyler Union C153 Union-Tite Ductile Iron Fittings**

Size	UPCode 670610 Domestic	Ship Code	UPCode 670610 Non-Domestic	Ship Code	Less Accessories	Domestic Weight	Non-Domestic Weight
<b>UT x PE 22½° (1/16) BENDS</b>							
6	363828	N			149.00	35	
8	<b>363835</b>	<b>N</b>			<b>242.00</b>	<b>57</b>	
<b>UT x PE 11¼° (1/32) BENDS</b>							
6	363842	N			153.00	36	
8	<b>363859</b>	<b>N</b>			<b>234.00</b>	<b>55</b>	
<b>UT x FLG ADAPTERS ♦</b>							
4	350859	S	033875	S	126.00	28	28
6	<b>350866</b>	<b>S</b>	<b>135623</b>	<b>S</b>	<b>217.00</b>	<b>40</b>	<b>51</b>
8	350873	S	033899	S	319.00	62	75
10	<b>350880</b>	<b>S</b>	<b>033813</b>	<b>S</b>	<b>344.00</b>	<b>71</b>	<b>81</b>
12	350897	S	033837	S	621.00	102	146
14	<b>350903</b>	<b>S</b>			<b>779.00</b>	<b>173</b>	
16	350910	S	033851	S	828.00	115	184
20	<b>363866</b>	<b>N</b>			<b>1475.00</b>	<b>295</b>	
<b>UT TEES</b>							
4	350927	S	281818	S	209.00	44	47
6x4	<b>350934</b>	<b>S</b>	<b>281849</b>	<b>S</b>	<b>238.00</b>	<b>68</b>	<b>56</b>
6	333586	S	281832	S	287.00	71	68
8x4	<b>350941</b>	<b>S</b>	<b>281870</b>	<b>S</b>	<b>340.00</b>	<b>73</b>	<b>80</b>
8x6	350958	S	281894	S	366.00	108	86
8	<b>299806</b>	<b>S</b>	<b>281863</b>	<b>S</b>	<b>434.00</b>	<b>116</b>	<b>102</b>
10x4	350965	S	140078	S	434.00	102	102
10x6	<b>350972</b>	<b>S</b>	<b>140139</b>	<b>S</b>	<b>595.00</b>	<b>113</b>	<b>140</b>
10x8	350989	S	140146	S	612.00	145	144
10	<b>350996</b>	<b>S</b>	<b>140061</b>	<b>S</b>	<b>599.00</b>	<b>155</b>	<b>141</b>
12x4	333852	S	281771	S	548.00	119	129
12x6	<b>286653</b>	<b>S</b>	<b>281788</b>	<b>S</b>	<b>608.00</b>	<b>141</b>	<b>143</b>
12x8	286646	S	281795	S	778.00	201	183
12x10	<b>351009</b>	<b>S</b>	<b>140320</b>	<b>S</b>	<b>663.00</b>	<b>160</b>	<b>156</b>
12	286684	S	140153	S	854.00	213	201
14x6	<b>351016</b>	<b>N</b>	<b>247791</b>	<b>S</b>	<b>788.00</b>	<b>176</b>	<b>175</b>
14x10	351023	N			878.00	195	
14x12	<b>351030</b>	<b>N</b>			<b>882.00</b>	<b>196</b>	
14	351047	S	247784	S	1755.00	209	390
16x6	<b>351054</b>	<b>S</b>	<b>247838</b>	<b>S</b>	<b>1377.00</b>	<b>266</b>	<b>306</b>
16x8	351061	S	247845	S	1584.00	292	352
16x10	<b>351078</b>	<b>N</b>	<b>247814</b>	<b>S</b>	<b>1589.00</b>	<b>232</b>	<b>353</b>
16x12	351085	N	247821	S	1728.00	239	384
16x14	<b>351627</b>	<b>N</b>			<b>1571.00</b>	<b>349</b>	
16	351092	S	247807	S	2273.00	390	505
18x6	<b>363873</b>	<b>N</b>			<b>1625.00</b>	<b>348</b>	
18x8	363880	N			1720.00	325	
18x10	<b>363897</b>	<b>N</b>			<b>1710.00</b>	<b>344</b>	
18x14	363903	N			1810.00	342	
18x16	<b>363910</b>	<b>N</b>			<b>1775.00</b>	<b>362</b>	
20x6	363927	N			1845.00	355	
20x10	<b>363934</b>	<b>N</b>			<b>1845.00</b>	<b>369</b>	

♦ Flanges may be thinner than thicknesses in AWWA C110 and require shorter bolts or use of washers.

# PUSH-ON C153 CEMENT LINED

## Tyler Union C153 Union-Tite Ductile Iron Fittings

**LP-5091**

Size	UPCode 670610 Domestic	Ship Code	UPCode 670610 Non-Domestic	Ship Code	Less Accessories	Domestic Weight	Non-Domestic Weight
<b>UT TEES (Con't)</b>							
20x14	363941	N			2420.00	484	
<b>20x16</b>	<b>363958</b>	<b>N</b>			<b>3050.00</b>	<b>610</b>	
20x18	363965	N			2695.00	539	
<b>24x6</b>	<b>363972</b>	<b>S</b>			<b>2447.00</b>	<b>466</b>	
24x10	363989	N			2510.00	478	
<b>24x12</b>	<b>363996</b>	<b>N</b>			<b>3481.00</b>	<b>663</b>	
24x14	364009	N			2846.00	542	
<b>24x16</b>	<b>364016</b>	<b>N</b>			<b>2972.00</b>	<b>566</b>	
24x18	364023	N			3113.00	593	
<b>24x20</b>	<b>364030</b>	<b>N</b>			<b>3297.00</b>	<b>628</b>	
24	364047	N			4641.00	884	
<b>UT x FLG TEES ♦</b>							
4	364054	S	135722	S	218.00	45	49
<b>6x4</b>	<b>364061</b>	<b>S</b>	<b>135760</b>	<b>S</b>	<b>266.00</b>	<b>56</b>	<b>67</b>
6	364078	S	135746	S	298.00	69	75
<b>8x4</b>	<b>364085</b>	<b>S</b>	<b>135807</b>	<b>S</b>	<b>357.00</b>	<b>89</b>	<b>93</b>
8x6	364092	S	135821	S	404.00	96	97
<b>8</b>	<b>364108</b>	<b>S</b>	<b>135784</b>	<b>S</b>	<b>480.00</b>	<b>130</b>	<b>116</b>
10x4	364115	S	034261	S	476.00	115	112
<b>10x6</b>	<b>364122</b>	<b>S</b>	<b>135647</b>	<b>S</b>	<b>523.00</b>	<b>128</b>	<b>123</b>
10x8	364139	S	135661	S	629.00	145	148
<b>10</b>	<b>364146</b>	<b>S</b>	<b>034247</b>	<b>S</b>	<b>701.00</b>	<b>158</b>	<b>165</b>
12x4	364153	S	034315	S	604.00	138	142
<b>12x6</b>	<b>364160</b>	<b>S</b>	<b>135685</b>	<b>S</b>	<b>672.00</b>	<b>148</b>	<b>158</b>
12x8	364177	S	135708	S	672.00	170	158
<b>12x10</b>	<b>364184</b>	<b>S</b>			<b>689.00</b>	<b>162</b>	
12	364191	S	034292	S	1067.00	183	251
<b>14x6</b>	<b>364207</b>	<b>N</b>	<b>135869</b>	<b>S</b>	<b>1112.00</b>	<b>212</b>	<b>247</b>
14x10	364214	N			1107.00	246	
<b>14x12</b>	<b>364221</b>	<b>N</b>			<b>1332.00</b>	<b>296</b>	
14	364238	N			1445.00	321	
<b>16x6</b>	<b>363378</b>	<b>S</b>	<b>135883</b>	<b>S</b>	<b>1377.00</b>	<b>266</b>	<b>308</b>
16x8	364245	N	135906	S	1733.00	270	339
<b>16x10</b>	<b>364252</b>	<b>N</b>			<b>1485.00</b>	<b>330</b>	
16x12	364269	N			1445.00	321	
<b>16x14</b>	<b>364276</b>	<b>N</b>			<b>1539.00</b>	<b>342</b>	
16	364283	N			1598.00	355	
<b>18x6</b>	<b>364290</b>	<b>N</b>			<b>1505.00</b>	<b>301</b>	
18x8	364306	N			1595.00	319	
<b>18x10</b>	<b>364313</b>	<b>N</b>			<b>1685.00</b>	<b>337</b>	
18x14	364320	N			1965.00	393	
<b>18x16</b>	<b>364337</b>	<b>N</b>			<b>2100.00</b>	<b>420</b>	
20x6	364344	N			1705.00	341	
<b>20x10</b>	<b>364351</b>	<b>N</b>			<b>2100.00</b>	<b>420</b>	
20x14	364368	N			2370.00	474	
<b>20x16</b>	<b>364375</b>	<b>N</b>			<b>2490.00</b>	<b>498</b>	
24x6	364399	S			2688.00	512	
<b>24x10</b>	<b>364405</b>	<b>N</b>			<b>2457.00</b>	<b>468</b>	
24x12	364412	N			2641.00	503	
<b>24x14</b>	<b>364429</b>	<b>N</b>			<b>2788.00</b>	<b>531</b>	
24x16	364436	N			2914.00	555	

♦ Flanges may be thinner than thicknesses in AWWA C110 and require shorter bolts or use of washers.

# PUSH-ON C153 CEMENT LINED

**LP-5091**

**Tyler Union C153 Union-Tite Ductile Iron Fittings**

Size	UPCode 670610 Domestic	Ship Code	UPCode 670610 Non-Domestic	Ship Code	Less Accessories	Domestic Weight	Non-Domestic Weight
<b>UT x SWIVEL TEES</b>							
6	364443	S	034339	S	298.00	65	70
<b>8x6</b>	<b>364450</b>	<b>S</b>			<b>425.00</b>	<b>100</b>	
8	364467	N			468.00	110	
<b>10x6</b>	<b>364474</b>	<b>N</b>			<b>553.00</b>	<b>130</b>	
10x8	364481	N			663.00	156	
<b>12x6</b>	<b>364498</b>	<b>S</b>	<b>451068</b>	<b>N</b>	<b>689.00</b>	<b>162</b>	<b>162</b>
12x8	364504	N			672.00	158	
<b>14x6</b>	<b>364511</b>	<b>N</b>			<b>909.00</b>	<b>202</b>	
16x6	364528	S			1031.00	229	
<b>16x8</b>	<b>364535</b>	<b>N</b>			<b>1314.00</b>	<b>292</b>	
18x6	364542	N			1740.00	348	
<b>18x8</b>	<b>364665</b>	<b>N</b>			<b>1620.00</b>	<b>324</b>	
20x6	364672	N			2000.00	400	
<b>24x6</b>	<b>364689</b>	<b>N</b>			<b>2756.00</b>	<b>525</b>	

**UT WYES (Not included in AWWA Standard C153)**

8x4	351108	S	281979	S	523.00	89	123
<b>10x4</b>	<b>351115</b>	<b>N</b>			<b>599.00</b>	<b>141</b>	
10x6	351122	N	281917	S	655.00	151	154
<b>10x8</b>	<b>351139</b>	<b>N</b>	<b>281924</b>	<b>S</b>	<b>680.00</b>	<b>175</b>	<b>160</b>
10	351146	N	281900	S	723.00	200	170
<b>12x4</b>	<b>351153</b>	<b>N</b>			<b>757.00</b>	<b>178</b>	
12x6	351160	S	281955	S	1003.00	201	236
<b>12x8</b>	<b>351177</b>	<b>N</b>	<b>281962</b>	<b>S</b>	<b>1101.00</b>	<b>224</b>	<b>259</b>
12x10	351184	N	281948	S	1199.00	240	282
<b>12</b>	<b>351191</b>	<b>N</b>	<b>281931</b>	<b>S</b>	<b>1335.00</b>	<b>289</b>	<b>314</b>
14x6	351207	N			1062.00	236	
<b>14x8</b>	<b>351214</b>	<b>N</b>			<b>1148.00</b>	<b>255</b>	
<b>14x10</b>	<b>351221</b>	<b>N</b>			<b>1463.00</b>	<b>325</b>	
<b>14</b>	<b>351245</b>	<b>N</b>			<b>2138.00</b>	<b>475</b>	
16x6	351252	N			1265.00	281	
<b>16x8</b>	<b>351269</b>	<b>N</b>			<b>1368.00</b>	<b>304</b>	
16x12	353065	N			1557.00	346	
<b>16</b>	<b>351290</b>	<b>N</b>			<b>1710.00</b>	<b>380</b>	

**UTxPE TEES**

6	364696	S			275.00	60	
<b>8x6</b>	<b>364702</b>	<b>S</b>			<b>420.00</b>	<b>80</b>	
12x6	364719	N			595.00	140	
<b>16x6</b>		<b>N</b>			<b>2273.00</b>	<b>505</b>	

S = From Stock to 2 weeks  
 N = Non-Stock; Check for availability.  
 All weights exclude accessories  
 NOTE: All fittings furnished with Tyton® gaskets.  
 ®Registered Trademark of U.S. Pipe & Foundry

**Restraining lugs are provided only on sizes 12" and smaller.**

# PUSH-ON C153 CEMENT LINED

## Tyler Union C153 Union-Tite Ductile Iron Fittings

**LP-5091**

Size	UPCode 670610 Domestic	Ship Code	UPCode 670610 Non-Domestic	Ship Code	Less Accessories	Domestic Weight	Non-Domestic Weight
<b>UT CROSSES</b>							
6	333593	S	139683	S	315.00	96	74
<b>8x6</b>	<b>333609</b>	<b>S</b>	<b>139706</b>	<b>S</b>	<b>519.00</b>	<b>117</b>	<b>122</b>
8	333616	S	139690	S	557.00	156	131
<b>10x4</b>	<b>351306</b>	<b>N</b>	<b>139652</b>	<b>S</b>	<b>612.00</b>	<b>116</b>	<b>144</b>
12x8	351320	S	139676	S	825.00	240	194
<b>12</b>	<b>333074</b>	<b>N</b>	<b>139669</b>	<b>S</b>	<b>1105.00</b>	<b>241</b>	<b>260</b>
14x6	351337	N			851.00	189	
<b>14x8</b>	<b>351344</b>	<b>N</b>			<b>918.00</b>	<b>204</b>	
14x10	351351	N			999.00	222	
<b>14x12</b>	<b>351368</b>	<b>N</b>			<b>1076.00</b>	<b>239</b>	
14	351375	N			1215.00	270	
<b>16x6</b>	<b>351382</b>	<b>S</b>			<b>1053.00</b>	<b>234</b>	
16x8	351399	S			1454.00	323	
<b>16x10</b>	<b>351405</b>	<b>S</b>			<b>1206.00</b>	<b>268</b>	
16x12	351412	S			1233.00	274	
<b>16x14</b>	<b>351429</b>	<b>S</b>			<b>1449.00</b>	<b>322</b>	
16	351436	S			1427.00	317	
<b>UT REDUCERS</b>							
6x4	351443	S	139782	S	142.00	32	34
<b>8x4</b>	<b>351450</b>	<b>S</b>	<b>139799</b>	<b>S</b>	<b>198.00</b>	<b>46</b>	<b>47</b>
8x6	351467	S	139805	S	210.00	49	50
<b>10x4</b>	<b>351474</b>	<b>N</b>	<b>139713</b>	<b>S</b>	<b>225.00</b>	<b>58</b>	<b>53</b>
10x6	351481	S	139720	S	315.00	47	74
<b>10x8</b>	<b>351498</b>	<b>S</b>	<b>139737</b>	<b>S</b>	<b>361.00</b>	<b>53</b>	<b>85</b>
12x4	351504	S	139751	S	310.00	80	73
<b>12x6</b>	<b>351511</b>	<b>S</b>	<b>139768</b>	<b>S</b>	<b>378.00</b>	<b>58</b>	<b>89</b>
12x8	298243	S	139775	S	351.00	74	83
<b>12x10</b>	<b>351528</b>	<b>S</b>	<b>139744</b>	<b>S</b>	<b>451.00</b>	<b>82</b>	<b>106</b>
14x6	351535	N			378.00	84	
<b>14x8</b>	<b>351542</b>	<b>N</b>			<b>383.00</b>	<b>85</b>	
14x10	351559	N			392.00	87	
<b>14x12</b>	<b>351566</b>	<b>N</b>			<b>468.00</b>	<b>104</b>	
16x6	351573	N	247760	S	716.00	94	159
<b>16x8</b>	<b>351580</b>	<b>N</b>	<b>247777</b>	<b>S</b>	<b>743.00</b>	<b>104</b>	<b>165</b>
16x10	351597	N	247746	S	666.00	130	148
<b>16x12</b>	<b>351603</b>	<b>S</b>	<b>247753</b>	<b>S</b>	<b>774.00</b>	<b>152</b>	<b>172</b>
16x14	364726	S			626.00	139	
<b>18x8</b>	<b>364733</b>	<b>N</b>			<b>710.00</b>	<b>142</b>	
18x10	364740	N			755.00	151	
<b>18x12</b>	<b>364757</b>	<b>N</b>			<b>835.00</b>	<b>167</b>	
18x14	364764	N			1085.00	217	
<b>18x16</b>	<b>364771</b>	<b>N</b>			<b>1010.00</b>	<b>202</b>	
20x10	364788	N			900.00	180	
<b>20x12</b>	<b>364795</b>	<b>N</b>			<b>1025.00</b>	<b>205</b>	
20x14	364801	N			1165.00	233	
<b>20x16</b>	<b>364818</b>	<b>N</b>			<b>1250.00</b>	<b>250</b>	
20x18	364825	N			1240.00	248	
<b>24x12</b>	<b>364832</b>	<b>N</b>			<b>1292.00</b>	<b>246</b>	
24x14	364849	N			1475.00	281	
<b>24x16</b>	<b>364856</b>	<b>N</b>			<b>1995.00</b>	<b>380</b>	
24x18	364863	N			2048.00	390	
<b>24x20</b>	<b>364870</b>	<b>N</b>			<b>2210.00</b>	<b>421</b>	

# PUSH-ON C153 CEMENT LINED

**LP-5091**

## Tyler Union C153 Union-Tite Ductile Iron Fittings

Size	UPCode 670610 Domestic	Ship Code	UPCode 670610 Non-Domestic	Ship Code	Less Accessories	Domestic Weight	Non-Domestic Weight
<b>UT x FLG REDUCERS ♦</b>							
6x4	364887	S	034186	S	166.00	32	39
<b>8x4</b>	<b>364894</b>	<b>S</b>	<b>034209</b>	<b>S</b>	<b>196.00</b>	<b>46</b>	<b>46</b>
8x6	364900	S	034223	S	247.00	47	58
<b>10x4</b>	<b>364917</b>	<b>N</b>			<b>234.00</b>	<b>55</b>	
10x6	364924	S			251.00	59	
<b>10x8</b>	<b>364931</b>	<b>S</b>	<b>034155</b>	<b>S</b>	<b>306.00</b>	<b>61</b>	<b>72</b>
12x4	364948	N			332.00	78	
<b>12x6</b>	<b>364955</b>	<b>S</b>			<b>320.00</b>	<b>75</b>	
12x8	364962	S			315.00	74	
<b>12x10</b>	<b>364979</b>	<b>S</b>			<b>404.00</b>	<b>95</b>	
14x6	364986	N			545.00	121	
<b>14x8</b>	<b>364993</b>	<b>N</b>			<b>576.00</b>	<b>128</b>	
14x10	365006	N			572.00	127	
<b>14x12</b>	<b>365013</b>	<b>N</b>			<b>648.00</b>	<b>144</b>	
16x6	365020	N			599.00	133	
<b>16x8</b>	<b>365037</b>	<b>N</b>			<b>635.00</b>	<b>141</b>	
16x10	365044	N			711.00	158	
<b>16x12</b>	<b>365051</b>	<b>N</b>			<b>774.00</b>	<b>172</b>	
16x14	365068	N			882.00	196	
<b>18x8</b>	<b>365075</b>	<b>N</b>			<b>785.00</b>	<b>157</b>	
18x10	365082	N			875.00	175	
<b>18x12</b>	<b>365099</b>	<b>N</b>			<b>1075.00</b>	<b>215</b>	
18x14	365105	N			1170.00	234	
18x16	365112	N			1230.00	246	
<b>20x10</b>	<b>365129</b>	<b>N</b>			<b>1170.00</b>	<b>234</b>	
20x14	365136	N			1245.00	249	
<b>20x16</b>	<b>365143</b>	<b>N</b>			<b>1360.00</b>	<b>272</b>	
24x12	365150	N			1376.00	262	
<b>24x14</b>	<b>365167</b>	<b>N</b>			<b>1654.00</b>	<b>315</b>	
24x16	365174	N			1722.00	328	

**SMALL END BELL (SEB) REDUCER**

6x4	120155	N			191.00	45	
<b>8x4</b>	<b>457596</b>	<b>N</b>			<b>149.00</b>	<b>35</b>	
8x6	052951	N			183.00	43	
<b>12x6</b>	<b>052968</b>	<b>N</b>			<b>298.00</b>	<b>70</b>	
12x8	052975	N			340.00	80	

**UT TAPT TEES (2 INCH IPT) SEE NOTE**

4	365181	S	139997	S	144.00	27	23
<b>6</b>	<b>365198</b>	<b>S</b>	<b>140016</b>	<b>S</b>	<b>185.00</b>	<b>38</b>	<b>34</b>
8	365204	S	140054	S	261.00	59	52
<b>10</b>	<b>365211</b>	<b>S</b>	<b>139812</b>	<b>S</b>	<b>299.00</b>	<b>72</b>	<b>61</b>
12	365228	S	139942	S	397.00	92	84

♦ Flanges may be thinner than thicknesses in AWWA C110 and require shorter bolts or use of washers.

S = From Stock to 2 weeks

N = Non-Stock; Check for availability. All weights exclude accessories

NOTE: All fittings furnished with Tyton® gaskets.

®Registered Trademark of U.S. Pipe & Foundry

Restraining lugs are provided only  
on sizes 12" and smaller.

NOTE - For Tapped Tees, Plugs and Caps Only: We stock 2" IPT Taps only. For all tap sizes other than 2" IPT up to a 4" maximum add \$250.00 to the list price shown for corresponding 2" tapped fitting. Special tapped fittings are non-cancellable and non-returnable. Contact CSR for details

# PUSH-ON C153 CEMENT LINED

## Tyler Union C153 Union-Tite Ductile Iron Fittings

**LP-5091**

Size	UPCode 670610 Domestic	Ship Code	UPCode 670610 Non-Domestic	Ship Code	Less Accessories	Domestic Weight	Non-Domestic Weight
------	---------------------------	--------------	-------------------------------	--------------	---------------------	--------------------	------------------------

### UT TAPT CROSSES (2 INCH IPT) SEE NOTE

4	365235	S	139621	S	174.00	27	23
<b>6</b>	<b>365242</b>	<b>S</b>	<b>139638</b>	<b>S</b>	<b>215.00</b>	<b>38</b>	<b>34</b>
8	365259	S	139645	S	291.00	59	52
<b>10</b>	<b>365266</b>	<b>S</b>	<b>139607</b>	<b>S</b>	<b>329.00</b>	<b>72</b>	<b>61</b>
12	365273	S			427.00	92	

### UT TEE / CROSS UNTAPPED

4	450436	S			104.00	27	
<b>6</b>	<b>450405</b>	<b>S</b>			<b>145.00</b>	<b>38</b>	
8	451464	S			221.00	59	
<b>10</b>	<b>458449</b>	<b>S</b>			<b>259.00</b>	<b>72</b>	
12		N			357.00	92	

### UT PLUGS / SOLID

4	370406	S	094166	S	54.00	20	12
<b>6</b>	<b>370413</b>	<b>S</b>	<b>094173</b>	<b>S</b>	<b>85.00</b>	<b>23</b>	<b>20</b>
8	370420	S	094180	S	115.00	32	27
<b>10</b>	<b>370437</b>	<b>S</b>	<b>094142</b>	<b>S</b>	<b>153.00</b>	<b>38</b>	<b>36</b>
12	370444	S	094159	S	185.00	49	44

### UT PLUGS / TAPT 2-INCH IPT SEE NOTE

4	370451	S	096733	S	94.00	20	12
<b>6</b>	<b>370468</b>	<b>S</b>	<b>096740</b>	<b>S</b>	<b>125.00</b>	<b>23</b>	<b>20</b>
8	370475	S	096757	S	155.00	32	27
<b>10</b>	<b>370482</b>	<b>S</b>	<b>096719</b>	<b>S</b>	<b>193.00</b>	<b>38</b>	<b>36</b>
12	370499	S	096726	S	225.00	49	44

### UT CAPS / SOLID

4	351665	S	137184	S	63.00	15	14
<b>6</b>	<b>351672</b>	<b>S</b>	<b>137191</b>	<b>S</b>	<b>87.00</b>	<b>20</b>	<b>21</b>
8	351689	S	137207	S	140.00	35	33
<b>10</b>	<b>351696</b>	<b>S</b>	<b>137160</b>	<b>S</b>	<b>204.00</b>	<b>50</b>	<b>48</b>
12	351702	S	137177	S	249.00	75	59

### UT CAPS / TAPT 2-INCH IPT SEE NOTE

4	351719	S	137238	S	103.00	15	14
<b>6</b>	<b>351726</b>	<b>S</b>	<b>137245</b>	<b>S</b>	<b>127.00</b>	<b>20</b>	<b>21</b>
8	351733	S	137252	S	180.00	35	33
<b>10</b>	<b>351740</b>	<b>S</b>	<b>137214</b>	<b>S</b>	<b>244.00</b>	<b>50</b>	<b>48</b>
12	351757	S	137221	S	289.00	75	59

S = From Stock to 2 weeks

N = Non-Stock; Check for availability. All weights exclude accessories

NOTE: All fittings furnished with Tyton® gaskets.

®Registered Trademark of U.S. Pipe & Foundry

Restraining lugs are provided only  
on sizes 12" and smaller.

NOTE - For Tapped Tees, Plugs and Caps Only: We stock 2" IPT Taps only. For all tap sizes other than 2" IPT up to a 4" maximum add \$250.00 to the list price shown for corresponding 2" tapped fitting. Special tapped fittings are non-cancellable and non-returnable. Contact CSR for details